

Sample Title for AAIML

Marina Meilă

*Department of Statistics
University of Washington
Seattle, WA 98195-4322, USA*

MMP@STAT.WASHINGTON.EDU

Michael I. Jordan

*Division of Computer Science and Department of Statistics
University of California
Berkeley, CA 94720-1776, USA*

JORDAN@CS.BERKELEY.EDU

Editor: Kevin Murphy and Bernhard Schölkopf

Abstract

This paper describes the mixtures-of-trees model, a probabilistic model for discrete multi-dimensional domains. Mixtures-of-trees generalize the probabilistic trees of A. D. Raki in a different and complementary direction to that of Bayesian networks. We present efficient algorithms for learning mixtures-of-trees models in maximum likelihood and Bayesian frameworks. We also discuss additional efficiencies that can be obtained when data are “sparse,” and we present data structures and algorithms that exploit such sparseness. Experimental results demonstrate the performance of the model for both density estimation and classification. We also discuss the sense in which tree-based classifiers perform an implicit form of feature selection, and demonstrate a resulting insensitivity to irrelevant attributes.

Keywords: Bayesian Networks, Mixture Models, Chow-Liu Trees

1. Introduction

Your introduction goes here! Simply start writing your document and use the Recompile button to view the updated PDF preview. Examples of commonly used commands and features are listed below, to help you get started.

Once you’re familiar with the editor, you can find various project setting in the Overleaf menu, accessed via the button in the very top left of the editor. To view tutorials, user guides, and further documentation, please visit our help library, or head to our plans page to choose your plan.

2. Some examples to get started

2.1 How to create Sections and Subsections

Simply use the section and subsection commands, as in this example document! With Overleaf, all the formatting and numbering is handled automatically according to the template you've chosen. If you're using Rich Text mode, you can also create new section and subsections via the buttons in the editor toolbar.

2.2 How to include Figures

First you have to upload the image file from your computer using the upload link in the file-tree menu. Then use the `includegraphics` command to include it in your document. Use the figure environment and the caption command to add a number and a caption to your figure. See the code for Figure 1 in this section for an example.

Note that your figure will automatically be placed in the most appropriate place for it, given the surrounding text and taking into account other figures or tables that may be close by. You can find out more about adding images to your documents in this help article on including images on Overleaf.

First you have to upload the image file from your computer using the upload link in the file-tree menu. Then use the `includegraphics` command to include it in your document. Use the figure environment and the caption command to add a number and a caption to your figure. See the code for Figure 1 in this section for an example.

Note that your figure will automatically be placed in the most appropriate place for it, given the surrounding text and taking into account other figures or tables that may be close by. You can find out more about adding images to your documents in this help article on including images on Overleaf.

First you have to upload the image file from your computer using the upload link in the file-tree menu. Then use the `includegraphics` command to include it in your document. Use the figure environment and the caption command to add a number and a caption to your figure. See the code for Figure 1 in this section for an example.

Note that your figure will automatically be placed in the most appropriate place for it, given the surrounding text and taking into account other figures or tables that may be close by. You can find out more about adding images to your documents in this help article on including images on Overleaf.

First you have to upload the image file from your computer using the upload link in the file-tree menu. Then use the `includegraphics` command to include it in your document. Use the figure environment and the caption command to add a number and a caption to your figure. See the code for Figure 1 in this section for an example.

Figure 1: This frog was uploaded via the file-tree menu.

Item	Quantity
Widgets	42
Gadgets	13

Table 1: An example table.

Note that your figure will automatically be placed in the most appropriate place for it, given the surrounding text and taking into account other figures or tables that may be close by. You can find out more about adding images to your documents in this help article on including images on Overleaf.

First you have to upload the image file from your computer using the upload link in the file-tree menu. Then use the `includegraphics` command to include it in your document. Use the figure environment and the caption command to add a number and a caption to your figure. See the code for Figure 1 in this section for an example.

Note that your figure will automatically be placed in the most appropriate place for it, given the surrounding text and taking into account other figures or tables that may be close by. You can find out more about adding images to your documents in this help article on including images on Overleaf.

2.3 How to add Tables

Use the table and tabular environments for basic tables — see Table 1, for example. For more information, please see this help article on tables.

2.4 How to add Comments and Track Changes

Comments can be added to your project by highlighting some text and clicking “Add comment” in the top right of the editor pane. To view existing comments, click on the Review menu in the toolbar above. To reply to a comment, click on the Reply button in the lower right corner of the comment. You can close the Review pane by clicking its name on the toolbar when you’re done reviewing for the time being.

Track changes are available on all our premium plans, and can be toggled on or off using the option at the top of the Review pane. Track changes allow you to keep track of every change made to the document, along with the person making the change.

2.5 How to add Lists

You can make lists with automatic numbering ...

1. Like this,
2. and like this.

...or bullet points ...

- Like this,
- and like this.

2.6 How to write Mathematics

L^AT_EX is great at typesetting mathematics. Let X_1, X_2, \dots, X_n be a sequence of independent and identically distributed random variables with $E[X_i] = \mu$ and $\text{Var}[X_i] = \sigma^2 < \infty$, and let

$$S_n = \frac{X_1 + X_2 + \dots + X_n}{n} = \frac{1}{n} \sum_i^n X_i$$

denote their mean. Then as n approaches infinity, the random variables $\sqrt{n}(S_n - \mu)$ converge in distribution to a normal $\mathcal{N}(0, \sigma^2)$.

2.7 How to change the margins and paper size

Usually the template you're using will have the page margins and paper size set correctly for that use-case. For example, if you're using a journal article template provided by the journal publisher, that template will be formatted according to their requirements. In these cases, it's best not to alter the margins directly.

If however you're using a more general template, such as this one, and would like to alter the margins, a common way to do so is via the geometry package. You can find the geometry package loaded in the preamble at the top of this example file, and if you'd like to learn more about how to adjust the settings, please visit this help article on page size and margins.

2.8 How to change the document language and spell check settings

Overleaf supports many different languages, including multiple different languages within one document.

To configure the document language, simply edit the option provided to the babel package in the preamble at the top of this example project. To learn more about the different options, please visit this help article on international language support.

To change the spell check language, simply open the Overleaf menu at the top left of the editor window, scroll down to the spell check setting, and adjust accordingly.

2.9 How to add Citations and a References List

You can simply upload a .bib file containing your BibTeX entries, created with a tool such as JabRef. You can then cite entries from it, like this: [?]. Just remember to specify a bibliography style, as well as the filename of the .bib. You can find a video tutorial here to learn more about BibTeX.

If you have an upgraded account, you can also import your Mendeley or Zotero library directly as a .bib file, via the upload menu in the file-tree.

2.10 Good luck!

We hope you find Overleaf useful, and do take a look at our help library for more tutorials and user guides! Please also let us know if you have any feedback using the Contact Us link at the bottom of the Overleaf menu — or use the contact form at <https://www.overleaf.com/contact>.

References

- [1] M. M. Keshavarz and A. Alighanbari, “Terahertz refractive index sensor based on Tamm plasmon-polaritons with graphene,” *Appl. Opt.*, vol. 58, pp. 3604-3612, 2019.
- [2] Y. V. Tarasov, D. A. Iakushev and O. V. Usatenko, “Plasmon-polariton excitations on surfaces with fluctuating impedance,” 9th International Kharkiv Symposium on Physics and Engineering of Microwaves, Millimeter and Submillimeter Waves (MSMW), Kharkiv, pp. 1-4, 2016.
- [3] N. Luan and J. Yao, “Refractive Index and Temperature Sensing Based on Surface Plasmon Resonance and Directional Resonance Coupling in a PCF,” *IEEE Photon. J.*, vol. 9, no. 2, pp. 1-7, 2017.
- [4] Z. Zhang, F. Chu, Z. Guo, J. Fan, G. Li, and W. Cheng, “Design and Optimization of Surface Plasmon Resonance Sensor Based on Polymer-Tipped Optical Fiber,” *J. Lightwave Technol.*, vol. 37, pp. 2820-2827, 2019.
- [5] J. Lao, L. Han, Z. Wu, X. Zhang, Y. Huang, Y. Tang, and T. Guo, “Gold Nanoparticle-Functionalized Surface Plasmon Resonance Optical Fiber Biosensor: In Situ Detection of Thrombin With 1 n-M Detection Limit,” *J. Lightwave Technol.*, vol. 37, pp. 2748-2755, 2019.
- [6] Y. E. Monfared and S. A. Ponomarenko, “Extremely nonlinear carbon-disulfide-filled photonic crystal fiber with controllable dispersion,” *Opt. Material*, vol. 88, pp. 406-411, 2019.
- [7] Y. E. Monfared, “Transient dynamics of stimulated Raman scattering in gas-filled hollow-core photonic crystal fibers,” *Adv. Mater. Sci. Eng.*, pp. 8951495, 2018.
- [8] Y. E. Monfared, C. Liang, R. Khosravi, B. Kacerovska and S. Yang, “Selectively toluene-filled photonic crystal fiber Sagnac interferometer for temperature sensing applications,” *Results in Physics*, vol. 13, pp. 102297, 2019.

- [9] M. Tian, P. Lu, L. Chen, C. Lv, and D. Liu, "All-solid d-shaped photonic fiber sensor based on surface plasmon resonance," *Opt. Commun.*, vol. 285, no. 6, pp. 1550–1554, 2012.
- [10] Md. N. Hossen, Md. Ferdous, Md. A. Khalek, S. Chakma, B. K. Paul, K. Ahmed, "Design and analysis of biosensor based on surface plasmon resonance," *Sensing and Bio-Sensing Research*, vol. 21, pp. 1-6, 2018.
- [11] G. An, X. Hao, S. Li, X. Yan, and X. Zhang, "D-shaped photonic crystal fiber refractive index sensor based on surface plasmon resonance," *Appl. Opt.*, vol. 56, no. 24, pp. 6988–6992, 2017.
- [12] S. Chu, K. Nakkeeran, A. M. Abobaker, S. S. Aphale, P. R. Babu and K. Senthilnathan, "Design and Analysis of Surface-Plasmon-Resonance-Based Photonic Quasi-Crystal Fiber Biosensor for High-Refractive-Index Liquid Analytes," *IEEE J. of Selected Topics in Quantum Electronics*, vol. 25, no. 2, pp. 1-9, 2019.
- [13] S. Chu, K. Nakkeeran, A. M. Abobaker, S. S. Aphale, P. Ramesh Babu and K. Senthilnathan, "A Surface Plasmon Resonance Based Photonic Quasi-Crystal Fibre Biosensor with Fan-Shaped Analyte Channel for High Refractive Index Analytes," 2018 Conference on Lasers and Electro-Optics Pacific Rim (CLEO-PR), Hong Kong, Hong Kong, pp. 1-2, 2018.
- [14] N. Luan, L. Zhao, Y. Lian and S. Lou, "A High Refractive Index Plasmonic Sensor Based on D-Shaped Photonic Crystal Fiber with Laterally Accessible Hollow-Core," in *IEEE Photon. J.*, vol. 10, no. 5, pp. 1-7, 2018.
- [15] T. Wu, Y. Shao, Y. Wang, S. Cao, W. Cao, F. Zhang, C. Liao, J. He, Y. Huang, M. Hou, and Y. Wang, "Surface plasmon resonance biosensor based on gold-coated side-polished hexagonal structure photonic crystal fiber," *Opt. Express*, vol. 25, pp. 20313-20322, 2017.
- [16] Q. Xie, Y. Chen, X. Li, Z. Yin, L. Wang, Y. Geng, and X. Hong, "Characteristics of D-shaped photonic crystal fiber surface plasmon resonance sensors with different side-polished lengths," *Appl. Opt.*, vol. 56, pp. 1550-1555, 2017.
- [17] A. D. Raki c, A. B. Djurijsi c, J. M. Elazar, and M. L. Majewski, "Optical properties of metallic films for vertical-cavity optoelectronic devices," *Appl. Opt.*, vol. 37, no. 22, pp. 5271-5283, 1998.
- [18] O. D. Herrera, L. Schneebeli, K. Kieu, R. A. Norwood, and N. Peyghambarian, "Slow light based on stimulated Raman scattering in an integrated liquid-core optical fiber filled with CS₂," *Opt. Express*, vol. 21 pp. 8821-8830, 2013.
- [19] M. Sasaki, T. Ando, S. Nogawa, and K. Hane, "Direct Photolithography on Optical Fiber End," *Jpn. J. Appl. Phys.*, Vol. 41, pp. 4350-4355, 2002.
- [20] Y. Huang, Y. Xu, and A. Yariv, "Fabrication of function microstructured optical fibers through a selective-filling technique," *Appl. Phys. Lett.*, vol. 85, pp. 5182-5184, 2005.